

Machine Learning – Lecture 6

Linear Discriminants I


05.11.2018

Bastian Leibe
RWTH Aachen
<http://www.vision.rwth-aachen.de>

leibe@vision.rwth-aachen.de

Course Outline

- Fundamentals
 - Bayes Decision Theory
 - Probability Density Estimation
- Classification Approaches
 - **Linear Discriminants**
 - Support Vector Machines
 - Ensemble Methods & Boosting
 - Randomized Trees, Forests & Ferns
- Deep Learning
 - Foundations
 - Convolutional Neural Networks
 - Recurrent Neural Networks




Recap: Linear Discriminant Functions

- Basic idea
 - Directly encode decision boundary
 - Minimize misclassification probability directly.
- Linear discriminant functions

$$y(\mathbf{x}) = \mathbf{w}^T \mathbf{x} + w_0$$

weight vector "bias"
(= threshold)

- \mathbf{w} , w_0 define a hyperplane in \mathbb{R}^D .
- If a data set can be perfectly classified by a linear discriminant, then we call it **linearly separable**.



Recap: Least-Squares Classification

- Simplest approach

- Directly try to minimize the sum-of-squares error

$$E(\mathbf{w}) = \sum_{n=1}^N (y(\mathbf{x}_n; \mathbf{w}) - \mathbf{t}_n)^2$$

$$E_D(\widetilde{\mathbf{W}}) = \frac{1}{2} \text{Tr} \left\{ (\widetilde{\mathbf{X}} \widetilde{\mathbf{W}} - \mathbf{T})^T (\widetilde{\mathbf{X}} \widetilde{\mathbf{W}} - \mathbf{T}) \right\}$$

- Setting the derivative to zero yields



$$\widetilde{\mathbf{W}} = (\widetilde{\mathbf{X}}^T \widetilde{\mathbf{X}})^{-1} \widetilde{\mathbf{X}}^T \mathbf{T} = \widetilde{\mathbf{X}}^\dagger \mathbf{T} = (\widetilde{\mathbf{X}}^T \widetilde{\mathbf{X}})^{-1} \widetilde{\mathbf{X}}^T \mathbf{T}$$

- We then obtain the discriminant function as

$$\mathbf{y}(\mathbf{x}) = \widetilde{\mathbf{W}}^T \widetilde{\mathbf{x}} = \mathbf{T}^T (\widetilde{\mathbf{X}}^\dagger)^T \widetilde{\mathbf{x}}$$

⇒ Exact, closed-form solution for the discriminant function parameters.

Recap: Problems with Least Squares



- Least-squares is very sensitive to outliers!
 - The error function penalizes predictions that are “too correct”.

Recap: Generalized Linear Models

- Generalized linear model

$$y(\mathbf{x}) = g(\mathbf{w}^T \mathbf{x} + w_0)$$


- $g(\cdot)$ is called an **activation function** and may be nonlinear.
- The decision surfaces correspond to

$$y(\mathbf{x}) = \text{const.} \Leftrightarrow \mathbf{w}^T \mathbf{x} + w_0 = \text{const.}$$

- If g is monotonous (which is typically the case), the resulting decision boundaries are still linear functions of \mathbf{x} .

- Advantages of the non-linearity


- Can be used to bound the influence of outliers and “too correct” data points.
- When using a sigmoid for $g(\cdot)$, we can interpret the $y(\mathbf{x})$ as posterior probabilities.



$$g(a) \equiv \frac{1}{1 + \exp(-a)}$$

Linear Separability

- Up to now: restrictive assumption
 - Only consider linear decision boundaries
- Classical counterexample: XOR



Generalized Linear Discriminants

- Generalization

- Transform vector \mathbf{x} with M nonlinear basis functions $\phi_j(\mathbf{x})$:

$$y_k(\mathbf{x}) = \sum_{j=1}^M w_{kj} \phi_j(\mathbf{x}) + w_{k0}$$

- Purpose of $\phi_j(\mathbf{x})$: basis functions
 - Allow non-linear decision boundaries.
 - By choosing the right ϕ_j , every continuous function can (in principle) be approximated with arbitrary accuracy.

- Notation

$$y_k(\mathbf{x}) = \sum_{j=0}^M w_{kj} \phi_j(\mathbf{x}) \quad \text{with } \phi_0(\mathbf{x}) = 1$$

Linear Basis Function Models

- Generalized Linear Discriminant Model

$$y(\mathbf{x}, \mathbf{w}) = \sum_{j=0}^{M-1} w_j \phi_j(\mathbf{x}) = \mathbf{w}^T \boldsymbol{\phi}(\mathbf{x})$$

- where $\phi_j(\mathbf{x})$ are known as *basis functions*.
- Typically, $\phi_0(\mathbf{x}) = 1$, so that w_0 acts as a bias.
- In the simplest case, we use linear basis functions: $\phi_d(\mathbf{x}) = x_d$.
- Let's take a look at some other possible basis functions...


Linear Basis Function Models (2)

- **Polynomial** basis functions

$$\phi_j(x) = x^j.$$

- Properties
 - Global
⇒ A small change in x affects all basis functions.

- Result
 - If we use polynomial basis functions, the decision boundary will be a **polynomial function of x** .
⇒ Nonlinear decision boundaries
⇒ However, we still solve a **linear problem in $\phi(x)$** .




Linear Basis Function Models (3)

- Gaussian basis functions

$$\phi_j(x) = \exp \left\{ -\frac{(x - \mu_j)^2}{2s^2} \right\}$$

- Properties
 - Local
 - ⇒ A small change in x affects only nearby basis functions.
 - μ_j and s control location and scale (width).



Linear Basis Function Models (4)

- **Sigmoid basis functions**

$$\phi_j(x) = \sigma\left(\frac{x - \mu_j}{s}\right)$$

- where


$$\sigma(a) = \frac{1}{1 + \exp(-a)}.$$

- **Properties**

- Local

- ⇒ A small change in x affects only nearby basis functions.

- μ_j and s control location and scale (slope).



Topics of This Lecture

- Gradient Descent
- Logistic Regression
 - Probabilistic discriminative models
 - Logistic sigmoid (logit function)
 - Cross-entropy error
 - Iteratively Reweighted Least Squares
- Softmax Regression
 - Multi-class generalization
 - Gradient descent solution
- Note on Error Functions
 - Ideal error function
 - Quadratic error
 - Cross-entropy error

Gradient Descent

- Learning the weights \mathbf{w} :

- N training data points:
- K outputs of decision functions:
- Target vector for each data point:

$$\mathbf{X} = \{\mathbf{x}_1, \dots, \mathbf{x}_N\}$$

$$y_k(\mathbf{x}_n; \mathbf{w})$$

$$\mathbf{T} = \{\mathbf{t}_1, \dots, \mathbf{t}_N\}$$

- Error function (least-squares error) of linear model

$$\begin{aligned} E(\mathbf{w}) &= \frac{1}{2} \sum_{n=1}^N \sum_{k=1}^K (y_k(\mathbf{x}_n; \mathbf{w}) - t_{kn})^2 \\ &= \frac{1}{2} \sum_{n=1}^N \sum_{k=1}^K \left(\sum_{j=1}^M w_{kj} \phi_j(\mathbf{x}_n) - t_{kn} \right)^2 \end{aligned}$$

Gradient Descent

- Problem
 - The error function can in general no longer be minimized in closed form.
- Idea (Gradient Descent)
 - Iterative minimization
 - Start with an initial guess for the parameter values $w_{kj}^{(0)}$
 - Move towards a (local) minimum by following the gradient.

$$w_{kj}^{(\tau+1)} = w_{kj}^{(\tau)} - \eta \left. \frac{\partial E(\mathbf{w})}{\partial w_{kj}} \right|_{\mathbf{w}^{(\tau)}}$$

η : Learning rate

- This simple scheme corresponds to a 1st-order Taylor expansion (There are more complex procedures available).

Gradient Descent – Basic Strategies

- “Batch learning”

$$w_{kj}^{(\tau+1)} = w_{kj}^{(\tau)} - \eta \left. \frac{\partial E(\mathbf{w})}{\partial w_{kj}} \right|_{\mathbf{w}^{(\tau)}}$$

η : Learning rate

- Compute the gradient based on all training data:

$$\frac{\partial E(\mathbf{w})}{\partial w_{kj}}$$

Gradient Descent – Basic Strategies

- “Sequential updating”

$$E(\mathbf{w}) = \sum_{n=1}^N E_n(\mathbf{w})$$

$$w_{kj}^{(\tau+1)} = w_{kj}^{(\tau)} - \eta \left. \frac{\partial E_n(\mathbf{w})}{\partial w_{kj}} \right|_{\mathbf{w}^{(\tau)}}$$

η : Learning rate

- Compute the gradient based on a single data point at a time:

$$\frac{\partial E_n(\mathbf{w})}{\partial w_{kj}}$$

Gradient Descent

- Error function

$$\begin{aligned} E(\mathbf{w}) = \sum_{n=1}^N E_n(\mathbf{w}) &= \frac{1}{2} \sum_{n=1}^N \sum_{k=1}^K \left(\sum_{j=1}^M w_{kj} \phi_j(\mathbf{x}_n) - t_{kn} \right)^2 \\ E_n(\mathbf{w}) &= \frac{1}{2} \sum_{k=1}^K \left(\sum_{j=1}^M w_{kj} \phi_j(\mathbf{x}_n) - t_{kn} \right)^2 \\ \frac{\partial E_n(\mathbf{w})}{\partial w_{kj}} &= \left(\sum_{\tilde{j}=1}^M w_{k\tilde{j}} \phi_{\tilde{j}}(\mathbf{x}_n) - t_{kn} \right) \phi_j(\mathbf{x}_n) \\ &= (y_k(\mathbf{x}_n; \mathbf{w}) - t_{kn}) \phi_j(\mathbf{x}_n) \end{aligned}$$

Gradient Descent

- Delta rule (=LMS rule)

$$\begin{aligned} w_{kj}^{(\tau+1)} &= w_{kj}^{(\tau)} - \eta (y_k(\mathbf{x}_n; \mathbf{w}) - t_{kn}) \phi_j(\mathbf{x}_n) \\ &= w_{kj}^{(\tau)} - \eta \delta_{kn} \phi_j(\mathbf{x}_n) \end{aligned}$$

➤ where

$$\delta_{kn} = y_k(\mathbf{x}_n; \mathbf{w}) - t_{kn}$$

⇒ Simply feed back the input data point, weighted by the classification error.

Gradient Descent

- Cases with differentiable, non-linear activation function

$$y_k(\mathbf{x}) = g(a_k) = g \left(\sum_{j=0}^M w_{kj} \phi_j(\mathbf{x}_n) \right)$$

- Gradient descent

$$\frac{\partial E_n(\mathbf{w})}{\partial w_{kj}} = \frac{\partial g(a_k)}{\partial w_{kj}} (y_k(\mathbf{x}_n; \mathbf{w}) - t_{kn}) \phi_j(\mathbf{x}_n)$$

$$w_{kj}^{(\tau+1)} = w_{kj}^{(\tau)} - \eta \delta_{kn} \phi_j(\mathbf{x}_n)$$

$$\delta_{kn} = \frac{\partial g(a_k)}{\partial w_{kj}} (y_k(\mathbf{x}_n; \mathbf{w}) - t_{kn})$$

Summary: Generalized Linear Discriminants

- Properties
 - General class of decision functions.
 - Nonlinearity $g(\cdot)$ and basis functions ϕ_j allow us to address linearly non-separable problems.
 - Shown simple sequential learning approach for parameter estimation using gradient descent.
 - Better 2nd order gradient descent approaches are available (e.g. Newton-Raphson), but they are more expensive to compute.
- Limitations / Caveats
 - Flexibility of model is limited by curse of dimensionality
 - $g(\cdot)$ and ϕ_j often introduce additional parameters.
 - Models are either limited to lower-dimensional input space or need to share parameters.
 - Linearly separable case often leads to overfitting.
 - Several possible parameter choices minimize training error.

Topics of This Lecture

- Gradient Descent
- Logistic Regression
 - Probabilistic discriminative models
 - Logistic sigmoid (logit function)
 - Cross-entropy error
 - Iteratively Reweighted Least Squares
- Softmax Regression
 - Multi-class generalization
 - Gradient descent solution
- Note on Error Functions
 - Ideal error function
 - Quadratic error
 - Cross-entropy error

Probabilistic Discriminative Models

- We have seen that we can write

$$\begin{aligned} p(\mathcal{C}_1 | \mathbf{x}) &= \sigma(a) \\ &= \frac{1}{1 + \exp(-a)} \end{aligned}$$

logistic sigmoid
function

- We can obtain the familiar probabilistic model by setting

$$a = \ln \frac{p(\mathbf{x}|\mathcal{C}_1)p(\mathcal{C}_1)}{p(\mathbf{x}|\mathcal{C}_2)p(\mathcal{C}_2)}$$

- Or we can use generalized linear discriminant models

$$a = \mathbf{w}^T \mathbf{x}$$

or $a = \mathbf{w}^T \phi(\mathbf{x})$

Probabilistic Discriminative Models

- In the following, we will consider models of the form

$$p(\mathcal{C}_1|\boldsymbol{\phi}) = y(\boldsymbol{\phi}) = \sigma(\mathbf{w}^T \boldsymbol{\phi})$$

with

$$p(\mathcal{C}_2|\boldsymbol{\phi}) = 1 - p(\mathcal{C}_1|\boldsymbol{\phi})$$

- This model is called **logistic regression**.
- Why should we do this? What advantage does such a model have compared to modeling the probabilities?

$$p(\mathcal{C}_1|\boldsymbol{\phi}) = \frac{p(\boldsymbol{\phi}|\mathcal{C}_1)p(\mathcal{C}_1)}{p(\boldsymbol{\phi}|\mathcal{C}_1)p(\mathcal{C}_1) + p(\boldsymbol{\phi}|\mathcal{C}_2)p(\mathcal{C}_2)}$$

- Any ideas?

Comparison

- Let's look at the number of parameters...
 - Assume we have an M -dimensional feature space ϕ .
 - And assume we represent $p(\phi|\mathcal{C}_k)$ and $p(\mathcal{C}_k)$ by Gaussians.
 - How many parameters do we need?
 - For the means: $2M$
 - For the covariances: $M(M+1)/2$
 - Together with the class priors, this gives $M(M+5)/2+1$ parameters!
 - How many parameters do we need for logistic regression?
$$p(\mathcal{C}_1|\phi) = y(\phi) = \sigma(\mathbf{w}^T \phi)$$
 - Just the values of $\mathbf{w} \Rightarrow M$ parameters.

⇒ *For large M , logistic regression has clear advantages!*

Logistic Sigmoid

- Properties

- Definition:

$$\sigma(a) = \frac{1}{1 + \exp(-a)}$$

- Inverse:

$$a = \ln \left(\frac{\sigma}{1 - \sigma} \right)$$

“logit” function

- Symmetry property:

$$\sigma(-a) = 1 - \sigma(a)$$

- Derivative:

$$\frac{d\sigma}{da} = \sigma(1 - \sigma)$$

Logistic Regression

- Let's consider a data set $\{\phi_n, t_n\}$ with $n = 1, \dots, N$, where $\phi_n = \phi(\mathbf{x}_n)$ and $t_n \in \{0, 1\}$, $\mathbf{t} = (t_1, \dots, t_N)^T$.

- With $y_n = p(\mathcal{C}_1|\phi_n)$, we can write the likelihood as

$$p(\mathbf{t}|\mathbf{w}) = \prod_{n=1}^N y_n^{t_n} \{1 - y_n\}^{1-t_n}$$

- Define the error function as the negative log-likelihood

$$\begin{aligned} E(\mathbf{w}) &= -\ln p(\mathbf{t}|\mathbf{w}) \\ &= -\sum_{n=1}^N \{t_n \ln y_n + (1 - t_n) \ln(1 - y_n)\} \end{aligned}$$

- This is the so-called **cross-entropy error function**.

Gradient of the Error Function

- Error function

$$E(\mathbf{w}) = - \sum_{n=1}^N \{t_n \ln y_n + (1 - t_n) \ln(1 - y_n)\}$$

- Gradient

$$\begin{aligned}\nabla E(\mathbf{w}) &= - \sum_{n=1}^N \left\{ t_n \frac{\frac{d}{d\mathbf{w}}y_n}{y_n} + (1 - t_n) \frac{\frac{d}{d\mathbf{w}}(1 - y_n)}{(1 - y_n)} \right\} \\ &= - \sum_{n=1}^N \left\{ t_n \frac{y_n(1 - y_n)}{y_n} \phi_n - (1 - t_n) \frac{y_n(1 - y_n)}{(1 - y_n)} \phi_n \right\} \\ &= - \sum_{n=1}^N \{ (t_n - \cancel{t_n y_n} - y_n + \cancel{t_n y_n}) \phi_n \} \\ &= \sum_{n=1}^N (y_n - t_n) \phi_n\end{aligned}$$

$$y_n = \sigma(\mathbf{w}^T \phi_n)$$

$$\frac{dy_n}{d\mathbf{w}} = y_n(1 - y_n) \phi_n$$

Gradient of the Error Function

- Gradient for logistic regression

$$\nabla E(\mathbf{w}) = \sum_{n=1}^N (y_n - t_n) \phi_n$$

- Does this look familiar to you?
- This is the same result as for the Delta (=LMS) rule
- We can use this to derive a sequential estimation algorithm.
 - However, this will be quite slow...

$$w_{kj}^{(\tau+1)} = w_{kj}^{(\tau)} - \eta(y_k(\mathbf{x}_n; \mathbf{w}) - t_{kn}) \phi_j(\mathbf{x}_n)$$

A More Efficient Iterative Method...

- Second-order Newton-Raphson gradient descent scheme

$$\mathbf{w}^{(\tau+1)} = \mathbf{w}^{(\tau)} - \mathbf{H}^{-1} \nabla E(\mathbf{w})$$

where $\mathbf{H} = \nabla \nabla E(\mathbf{w})$ is the Hessian matrix, i.e. the matrix of second derivatives.

- Properties
 - Local quadratic approximation to the log-likelihood.
 - Faster convergence.

Newton-Raphson for Least-Squares Estimation

- Let's first apply Newton-Raphson to the least-squares error function:

$$E(\mathbf{w}) = \frac{1}{2} \sum_{n=1}^N (\mathbf{w}^T \boldsymbol{\phi}_n - t_n)^2$$

$$\nabla E(\mathbf{w}) = \sum_{n=1}^N (\mathbf{w}^T \boldsymbol{\phi}_n - t_n) \boldsymbol{\phi}_n = \boldsymbol{\Phi}^T \boldsymbol{\Phi} \mathbf{w} - \boldsymbol{\Phi}^T \mathbf{t}$$

$$\mathbf{H} = \nabla \nabla E(\mathbf{w}) = \sum_{n=1}^N \boldsymbol{\phi}_n \boldsymbol{\phi}_n^T = \boldsymbol{\Phi}^T \boldsymbol{\Phi}$$

where $\boldsymbol{\Phi} = \begin{bmatrix} \boldsymbol{\phi}_1^T \\ \vdots \\ \boldsymbol{\phi}_N^T \end{bmatrix}$

- Resulting update scheme:

$$\mathbf{w}^{(\tau+1)} = \mathbf{w}^{(\tau)} - (\boldsymbol{\Phi}^T \boldsymbol{\Phi})^{-1} (\boldsymbol{\Phi}^T \boldsymbol{\Phi} \mathbf{w}^{(\tau)} - \boldsymbol{\Phi}^T \mathbf{t})$$

$$= (\boldsymbol{\Phi}^T \boldsymbol{\Phi})^{-1} \boldsymbol{\Phi}^T \mathbf{t}$$

Closed-form solution!

Newton-Raphson for Logistic Regression

- Now, let's try Newton-Raphson on the cross-entropy error function:

$$E(\mathbf{w}) = - \sum_{n=1}^N \{t_n \ln y_n + (1 - t_n) \ln(1 - y_n)\}$$

$$\frac{dy_n}{d\mathbf{w}} = y_n(1 - y_n)\boldsymbol{\phi}_n$$

$$\nabla E(\mathbf{w}) = \sum_{n=1}^N (y_n - t_n)\boldsymbol{\phi}_n = \boldsymbol{\Phi}^T(\mathbf{y} - \mathbf{t})$$

$$\mathbf{H} = \nabla \nabla E(\mathbf{w}) = \sum_{n=1}^N y_n(1 - y_n)\boldsymbol{\phi}_n \boldsymbol{\phi}_n^T = \boldsymbol{\Phi}^T \mathbf{R} \boldsymbol{\Phi}$$

where \mathbf{R} is an $N \times N$ diagonal matrix with $R_{nn} = y_n(1 - y_n)$.

⇒ The Hessian is no longer constant, but depends on \mathbf{w} through the weighting matrix \mathbf{R} .

Iteratively Reweighted Least Squares

- Update equations

$$\begin{aligned}\mathbf{w}^{(\tau+1)} &= \mathbf{w}^{(\tau)} - (\Phi^T \mathbf{R} \Phi)^{-1} \Phi^T (\mathbf{y} - \mathbf{t}) \\ &= (\Phi^T \mathbf{R} \Phi)^{-1} \left\{ \Phi^T \mathbf{R} \Phi \mathbf{w}^{(\tau)} - \Phi^T (\mathbf{y} - \mathbf{t}) \right\} \\ &= (\Phi^T \mathbf{R} \Phi)^{-1} \Phi^T \mathbf{R} \mathbf{z} \\ \text{with } \mathbf{z} &= \Phi \mathbf{w}^{(\tau)} - \mathbf{R}^{-1} (\mathbf{y} - \mathbf{t})\end{aligned}$$

- Again very similar form (normal equations)
 - But now with non-constant weighing matrix \mathbf{R} (depends on \mathbf{w}).
 - Need to apply normal equations iteratively.
⇒ Iteratively Reweighted Least-Squares (IRLS)

Summary: Logistic Regression

- Properties
 - Directly represent posterior distribution $p(\phi|\mathcal{C}_k)$
 - Requires fewer parameters than modeling the likelihood + prior.
 - Very often used in statistics.
 - It can be shown that the cross-entropy error function is concave
 - Optimization leads to unique minimum
 - But no closed-form solution exists
 - Iterative optimization (IRLS)
 - Both online and batch optimizations exist
- Caveat
 - Logistic regression tends to systematically overestimate odds ratios when the sample size is less than ~500.

Topics of This Lecture

- Gradient Descent
- Logistic Regression
 - Probabilistic discriminative models
 - Logistic sigmoid (logit function)
 - Cross-entropy error
 - Iteratively Reweighted Least Squares
- Softmax Regression
 - Multi-class generalization
 - Gradient descent solution
- Note on Error Functions
 - Ideal error function
 - Quadratic error
 - Cross-entropy error

Softmax Regression

- Multi-class generalization of logistic regression
 - In logistic regression, we assumed binary labels $t_n \in \{0, 1\}$.
 - Softmax generalizes this to K values in 1-of- K notation.

$$\mathbf{y}(\mathbf{x}; \mathbf{w}) = \begin{bmatrix} P(y=1|\mathbf{x}; \mathbf{w}) \\ P(y=2|\mathbf{x}; \mathbf{w}) \\ \vdots \\ P(y=K|\mathbf{x}; \mathbf{w}) \end{bmatrix} = \frac{1}{\sum_{j=1}^K \exp(\mathbf{w}_j^\top \mathbf{x})} \begin{bmatrix} \exp(\mathbf{w}_1^\top \mathbf{x}) \\ \exp(\mathbf{w}_2^\top \mathbf{x}) \\ \vdots \\ \exp(\mathbf{w}_K^\top \mathbf{x}) \end{bmatrix}$$

- This uses the **softmax** function

$$\frac{\exp(a_k)}{\sum_j \exp(a_j)}$$

- Note: the resulting distribution is normalized.

Softmax Regression Cost Function

- Logistic regression
 - Alternative way of writing the cost function

$$\begin{aligned} E(\mathbf{w}) &= - \sum_{n=1}^N \{t_n \ln y_n + (1 - t_n) \ln(1 - y_n)\} \\ &= - \sum_{n=1}^N \sum_{k=0}^1 \{\mathbb{I}(t_n = k) \ln P(y_n = k | \mathbf{x}_n; \mathbf{w})\} \end{aligned}$$

- Softmax regression
 - Generalization to K classes using indicator functions.

$$E(\mathbf{w}) = - \sum_{n=1}^N \sum_{k=1}^K \left\{ \mathbb{I}(t_n = k) \ln \frac{\exp(\mathbf{w}_k^\top \mathbf{x})}{\sum_{j=1}^K \exp(\mathbf{w}_j^\top \mathbf{x})} \right\}$$

Optimization

- Again, no closed-form solution is available
 - Resort again to Gradient Descent
 - Gradient

$$\nabla_{\mathbf{w}_k} E(\mathbf{w}) = - \sum_{n=1}^N [\mathbb{I}(t_n = k) \ln P(y_n = k | \mathbf{x}_n; \mathbf{w})]$$


- Note
 - $\nabla_{\mathbf{w}_k} E(\mathbf{w})$ is itself a vector of partial derivatives for the different components of \mathbf{w}_k .
 - We can now plug this into a standard optimization package.

Topics of This Lecture

- Gradient Descent
- Logistic Regression
 - Probabilistic discriminative models
 - Logistic sigmoid (logit function)
 - Cross-entropy error
 - Iteratively Reweighted Least Squares
- Softmax Regression
 - Multi-class generalization
 - Gradient descent solution
- Note on Error Functions
 - Ideal error function
 - Quadratic error
 - Cross-entropy error

Note on Error Functions

$$t_n \in \{-1, 1\}$$




- Ideal misclassification error function (black)
 - This is what we want to approximate (error = #misclassifications)
 - Unfortunately, it is not differentiable.
 - The gradient is zero for misclassified points.
 - ⇒ We cannot minimize it by gradient descent.

Note on Error Functions


$$t_n \in \{-1, 1\}$$

Sensitive to outliers!



- **Squared error used in Least-Squares Classification**
 - Very popular, leads to closed-form solutions.
 - However, sensitive to outliers due to squared penalty.
 - Penalizes “too correct” data points
- ⇒ Generally does not lead to good classifiers.


Comparing Error Functions (Loss Functions)



- **Cross-Entropy Error**
 - Minimizer of this error is given by posterior class probabilities.
 - Concave error function, unique minimum exists.
 - Robust to outliers, error increases only roughly linearly
 - But no closed-form solution, requires iterative estimation.

Overview: Error Functions

- Ideal Misclassification Error
 - This is what we would like to optimize.
 - But cannot compute gradients here.
- Quadratic Error
 - Easy to optimize, closed-form solutions exist.
 - But not robust to outliers.
- Cross-Entropy Error
 - Minimizer of this error is given by posterior class probabilities.
 - Concave error function, unique minimum exists.
 - But no closed-form solution, requires iterative estimation.



⇒ *Looking at the error function this way gives us an analysis tool to compare the properties of classification approaches.*

References and Further Reading

- More information on Linear Discriminant Functions can be found in Chapter 4 of Bishop's book (in particular Chapter 4.1 - 4.3).

Christopher M. Bishop
Pattern Recognition and Machine Learning
Springer, 2006

